

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
	2,4-D (sum of 2,4-D, its salts, its esters and its conjugates, expressed as 2,4-D)	0,01	33
1.	2,4-D	0,01	33
2.	2,4-D 2-EHE	0,01	26
3.	2-phenylphenol (sum of 2-phenylphenol and its conjugates, expressed as 2-phenylphenol)	0,02	39
	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a, expressed as avermectin B1a)	0,02	8
4.	Avermectin B1a	0,02	8
5.	Acephate	0,01	8
6.	Acetamiprid	0,01	6
7.	Aclonifen	0,02	12
8.	Acrinathrin	0,01	34
	Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb)	0,01	17
9.	Aldicarb	0,01	13
10.	Aldicarb-Sulfone	0,01	17
11.	Aldicarb-Sulfoxide	0,01	10
	Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)	0,01	31
12.	Aldrin	0,01	26
13.	Dieldrin	0,01	31
14.	Ametoctradin	0,01	36
15.	Amidosulfuron	0,02	40
16.	Amisulbrom	0,01	29
17.	Amitraz (amitraz including the metabolites containing the 2,4 -dimethylaniline moiety expressed as amitraz)	0,01	34
18.	Anthraquinone	0,04	50
19.	Atrazine	0,01	20
20.	Azinphos-ethyl	0,01	36
21.	Azinphos-methyl	0,01	32
22.	Azoxystrobin	0,01	8
23.	Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)	0,01	6
	Bentazone (Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone)	0,01	31
24.	Bentazone	0,01	31

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
25.	Benzovindiflupyr	0,01	50
	Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate)	0,02	50
26.	Bifenazate	0,02	50
27.	Bifenox	0,04	8
28.	Bifenthrin (sum of isomers)	0,02	6
29.	Biphenyl	0,01	27
30.	Bitertanol (sum of isomers)	0,02	33
31.	Bixafen	0,01	19
32.	Boscalid	0,2	9
33.	Bromophos-ethyl	0,01	33
34.	Bromophos-methyl	0,04	21
35.	Bromopropylate	0,01	23
36.	Bromuconazole (sum of diastereoisomers)	0,01	41
37.	Bupirimate	0,01	24
38.	Buprofezin	0,02	45
39.	Cadusafos	0,04	4
	Captan (Sum of captan and THPI, expressed as captan)	0,02	27
40.	THPI	0,02	27
41.	Carbaryl	0,01	15
42.	Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)	0,01	13
43.	Carbetamide (sum of carbetamide and its S isomer)	0,01	15
	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran)	0,02	30
44.	Carbofuran	0,01	10
45.	Carbofuran, 3-hydroxy	0,01	22
46.	Furathiocarb	0,02	30
	Carboxin (carboxin plus its metabolites carboxin sulfoxide and oxycarboxin (carboxin sulfone), expressed as carboxin)	0,01	18
47.	Carboxin	0,01	18
48.	Chlorantraniliprole (DPX E-2Y45)	0,01	46
49.	Chlorbufam	0,2	50
50.	Chlorfenapyr	0,01	18
51.	Chlorfenvinphos	0,01	14
	Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon)	0,02	7

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
52.	Chloridazon	0,02	7
53.	Chlormephos	0,01	24
54.	Chlorobenzilate	0,01	20
55.	Chlorothalonil	0,01	4
56.	Chlorotoluron	0,01	33
57.	Chlorpropham	0,01	50
58.	Chlorpyrifos	0,01	28
59.	Chlorpyrifos-methyl	0,01	16
60.	Chlorsulfuron	0,01	9
61.	Chlozolate	0,01	20
62.	Clofentezine	0,01	17
63.	Clomazone	0,01	11
64.	Cloquintocet-1-Mexyl	0,02	27
65.	Clothianidin	0,01	20
66.	Coumaphos	0,01	25
67.	Cyanazine	0,02	11
68.	Cyantraniliprole	0,02	50
69.	Cyazofamid	0,02	21
	Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO ₂) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO ₂) or methyl esters thereof, calculated in total as cycloxydim	0,01	12
70.	Cycloxydim	0,01	12
71.	Cyflufenamid (sum of cyflufenamid (Z-isomer) and its E-isomer, expressed as cyflufenamid)	0,01	24
72.	Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers))	0,02	10
73.	Cymoxanil	0,01	14
	Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers))	0,2	14
74.	Cypermethrin	0,2	14
75.	Cypermethrin, alpha- (Alphamethrin)	0,2	10
76.	Cypermethrin, beta-	0,2	12
77.	Cypermethrin, zeta-	0,2	50
78.	Cyproconazole	0,01	14
79.	Cyprodinil	0,04	10
	DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT)	0,2	27

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
80.	DDD, p,p-	0,01	25
81.	DDE, p,p-	0,01	24
82.	DDT, o,p-	0,01	26
83.	DDT, p,p-	0,2	27
84.	DEET	0,02	37
85.	Deltamethrin (cis-deltamethrin)	0,04	18
86.	Demeton-S-methyl	0,01	9
87.	Desmedipham	0,01	26
88.	Desmetryn	0,01	7
89.	Diazinon	0,01	25
90.	Dichlofluaniid	0,2	20
	Dichlorprop (Sum of dichlorprop (including dichlorprop-P), its salts, esters and conjugates, expressed as dichlorprop)	0,01	22
91.	Dichlorprop	0,01	22
92.	Dichlorvos	0,01	50
93.	Sum of diclofop-methyl, diclofop acid and its salts, expressed as diclofop-methyl (sum of isomers)	0,02	14
94.	Dicloran	0,01	46
95.	Dicofol (sum of p, p' and o,p' isomers)	0,01	23
96.	Dicrotophos	0,01	7
97.	Diethofencarb	0,01	13
98.	Difenoconazole	0,04	11
99.	Diflubenzuron	0,01	44
100.	Diflufenican	0,01	22
101.	Dimethachlor	0,01	41
102.	Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers)	0,01	50
103.	Dimethoate	0,2	20
104.	Dimethomorph (sum of isomers)	0,01	10
105.	Dimoxystrobin	0,2	7
106.	Diniconazole (sum of isomers)	0,02	50
107.	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap)	0,01	18
108.	Dinocap	0,01	18
109.	Dinotefuran	0,01	29
110.	Diphenylamine	0,01	19
	Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	0,01	24
111.	Disulfoton	0,01	24

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
112.	Diuron	0,01	30
113.	Dodine	0,01	16
114.	Emamectin benzoate B1a, expressed as emamectin	0,01	22
	Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expressed as endosulfan)	0,04	24
115.	Endosulfan, alpha-	0,04	24
116.	Endosulfan, beta-	0,04	22
117.	Endosulfan-sulfate	0,04	20
118.	Endrin	0,04	20
119.	EPN	0,04	26
120.	Epoxiconazole	0,01	20
121.	Ethametsulfuron-methyl	0,01	12
122.	Ethiofencarb	0,01	25
123.	Ethion	0,01	39
124.	Ethirimol	0,01	31
	Ethofumesate (Sum of ethofumesate, 2-keto-ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate)	0,01	9
125.	Ethofumesate	0,01	9
126.	Ethoprophos	0,01	19
127.	Etofenprox	0,01	18
128.	Etoxazole	0,01	50
129.	Etrimfos	0,01	23
130.	Famoxadone	0,01	21
131.	Fenamidone	0,04	21
	Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)	0,01	16
132.	Fenamiphos	0,01	15
133.	Fenamiphos-sulfone	0,01	16
134.	Fenamiphos-sulfoxide	0,01	13
135.	Fenarimol	0,01	20
136.	Fenazaquin	0,02	15
137.	Fenbuconazole (sum of constituent enantiomers)	0,01	13
	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)	0,01	21
138.	Fenchlorphos	0,01	21
139.	Fenhexamid	0,2	13
140.	Fenitrothion	0,01	13
141.	Fenobucarb	0,02	34

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
142.	Fenoxaprop-P	0,01	6
143.	Fenoxycarb	0,01	19
144.	Fenpicoxamid	0,01	17
145.	Fenpropathrin	0,01	32
146.	Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin)	0,2	16
147.	Fenpropimorph (sum of isomers)	0,04	7
148.	Fenpyrazamine	0,01	30
149.	Fenpyroximate	0,01	48
	Fenthion (fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent)	0,02	18
150.	Fenthion	0,01	5
151.	Fenthion-sulfone	0,02	18
152.	Fenthion-sulfoxide	0,01	15
153.	Fenthion oxon	0,01	11
154.	Fenthion oxon sulfone	0,01	7
155.	Fenthion oxon sulfoxide	0,01	5
156.	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate)	0,04	19
	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil)	0,01	23
157.	Fipronil	0,01	19
158.	Fipronil sulfone	0,01	23
	Flonicamid (sum of flonicamid, TFNA and TFNG expressed as flonicamid)	0,01	42
159.	Flonicamid	0,01	42
160.	Florasulam	0,02	27
	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	0,01	39
161.	Fluazifop	0,01	39
162.	Fluazifop-P-butyl	0,01	26
163.	Fluazinam	0,01	7
164.	Flubendiamide	0,01	33
165.	Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers))	0,01	13
166.	Fludioxonil	0,01	16
167.	Fluensulfone	0,01	40

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
168.	Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet)	0,01	22
169.	Flufenoxuron	0,02	23
170.	Fluopicolide	0,01	11
171.	Fluopyram	0,01	17
172.	Fluoxastrobin (sum of fluoxastrobin and its Z-isomer)	0,01	19
173.	Fluquinconazole	0,01	25
	Fluroxypyr (sum of fluroxypyr, its salts, its esters, and its conjugates, expressed as fluroxypyr)	0,01	5
174.	Fluroxypyr-meptyl	0,01	5
175.	Flusilazole	0,01	17
176.	Flutianil	0,02	50
177.	Flutolanil	0,01	25
178.	Flutriafol	0,04	50
179.	Fluvalinate (sum of isomers) resulting from the use of tau-fluvalinate	0,01	21
180.	Fluxapyroxad	0,01	28
	Folpet (sum of folpet and phtalimide, expressed as folpet)	0,2	9
181.	Folpet	0,2	9
182.	Formothion	0,2	18
183.	Fosthiazate	0,01	8
184.	Fuberidazole	0,01	6
	Haloxyfop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio))	0,02	23
185.	Haloxyfop	0,02	16
186.	Haloxyfop-R-methylester	0,01	23
	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0,01	32
187.	Heptachlor	0,01	26
188.	Heptachlorepoxyde, cis-	0,01	32
189.	Heptachlorepoxyde, trans-	0,01	20
190.	Heptenophos	0,01	43
191.	Hexachlorobenzene	0,01	19
192.	Hexachlorocyclohexane (HCH), alpha-isomer	0,01	31
193.	Hexachlorocyclohexane (HCH), beta-isomer	0,04	22
194.	Hexaconazole	0,04	50
195.	Hexaflumuron	0,01	14

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
196.	Hexythiazox	0,01	28
197.	Imazalil (any ratio of constituent isomers)	0,04	16
198.	Imazapyr	0,02	28
199.	Imidacloprid	0,01	19
200.	Indoxacarb (sum of indoxacarb and its R enantiomer)	0,01	41
201.	Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl)	0,01	10
202.	Iprodione	0,04	26
203.	Iprovalicarb	0,01	15
204.	Isocarbophos	0,02	28
205.	Isofenphos	0,01	21
206.	Isofenphos-methyl	0,01	7
207.	Isofetamid	0,02	50
208.	Isoprothiolane	0,01	14
209.	Isoproturon	0,01	7
210.	Isopyrazam	0,01	35
211.	Kresoxim-methyl	0,01	7
212.	Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers)	0,01	26
213.	Lenacil	0,01	17
214.	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0,04	28
215.	Linuron	0,01	18
216.	Lufenuron (any ratio of constituent isomers)	0,01	34
	Malathion (sum of malathion and malaoxon expressed as malathion)	0,2	13
217.	Malaoxon	0,2	11
218.	Malathion	0,04	13
219.	Mandipropamid (any ratio of constituent isomers)	0,01	8
	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	0,01	24
220.	MCPA	0,01	24
221.	MCPB	0,01	21
222.	Mecarbam	0,04	13
223.	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	0,01	13
224.	Mefenpyr-Diethyl	0,01	50
225.	Mefentrifluconazole	0,02	50
226.	Mepanipyrim	0,01	11
227.	Mesosulfuron-methyl	0,01	10

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
228.	Metaflumizone (sum of E- and Z- isomers)	0,01	23
229.	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	0,01	7
230.	Metamitron	0,02	18
	Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor)	0,2	8
231.	Metazachlor	0,2	8
232.	Metconazole (sum of isomers)	0,01	18
233.	Methacrifos	0,02	25
234.	Methamidophos	0,01	10
235.	Methidathion	0,04	11
	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0,01	11
236.	Methiocarb	0,01	8
237.	Methiocarb sulfone	0,01	9
238.	Methiocarb sulfoxide	0,01	11
239.	Methomyl	0,01	6
240.	Methoxyfenozide	0,01	5
241.	Metobromuron	0,01	31
242.	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	0,01	7
243.	Metrafenone	0,01	21
244.	Metribuzin	0,01	28
245.	Mevinphos (sum of E- and Z-isomers)	0,2	13
246.	Monocrotophos	0,01	10
247.	Monolinuron	0,01	12
248.	Myclobutanil (sum of constituent isomers)	0,04	8
249.	Napropamide (sum of isomers)	0,01	12
250.	Nicosulfuron	0,01	17
251.	Nitenpyram	0,01	37
252.	Novaluron	0,02	24
253.	Omethoate	0,01	6
254.	Oxadixyl	0,02	22
255.	Oxamyl	0,01	7
256.	Oxathiapiprolin	0,01	25
	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0,01	9

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
257.	Demeton-S-methylsulfone	0,01	9
258.	Demeton-S-methylsulfoxid (oxydemeton-methyl)	0,01	9
259.	Paclobutrazol (sum of constituent isomers)	0,01	14
260.	Parathion	0,2	27
	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0,04	20
261.	Paraoxon-methyl	0,01	19
262.	Parathion-methyl	0,04	3
263.	Penconazole (sum of constituent isomers)	0,04	21
	Pencycuron (sum of pencycuron and pencycuron-PB-amine, expressed as pencycuron)	0,01	9
264.	Pencycuron	0,01	9
265.	Pendimethalin	0,04	20
266.	Penthiopyrad	0,01	50
267.	Permethrin (sum of isomers)	0,01	14
268.	Phenmedipham	0,01	14
269.	Phenthoate	0,04	16
	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0,04	13
270.	Phorate	0,04	13
271.	Phosalone	0,04	25
	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0,04	15
272.	Phosmet	0,04	15
273.	Phosmet oxon	0,01	7
274.	Phosphamidon	0,2	15
275.	Phoxim	0,01	26
276.	Picolinafen	0,04	20
277.	Picoxystrobin	0,01	41
278.	Pinoxaden	0,01	8
279.	Piperonyl butoxide	0,01	21
280.	Pirimicarb	0,01	32
281.	Pirimicarb-desmethyl	0,02	19
282.	Pirimiphos-methyl	0,01	28
	Prochloraz (sum of prochloraz, BTS 44595 (M201-04) and BTS 44596 (M201-03), expressed as prochloraz)	0,04	35
283.	Prochloraz	0,04	7
284.	2,4,6-Trichlorophenol	0,04	35
285.	Procymidone	0,01	30

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
286.	Profenofos	0,04	5
287.	Prometryn	0,1	7
	Propachlor: oxalinic derivat of propachlor, expressed as propachlor	0,04	21
288.	Propachlor	0,04	21
289.	Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb)	0,01	9
290.	Propargite	0,04	50
291.	Propazine	0,02	45
292.	Propham	0,01	50
293.	Propiconazole (sum of isomers)	0,01	20
294.	Propoxur	0,01	13
295.	Propoxycarbazon (propoxycarbazon, its salts and 2-hydroxypropoxycarbazon expressed as propoxycarbazon)	0,01	10
296.	Propyzamide	0,01	18
297.	Proquinazid	0,01	50
298.	Prosulfocarb	0,01	15
299.	Prothioconazole: prothioconazole-desthio (sum of isomers)	0,02	17
300.	Prothiofos	0,01	21
301.	Pymetrozine	0,01	26
302.	Pyraclostrobin	0,2	1
303.	Pyrazophos	0,01	10
304.	Pyridaben	0,01	13
305.	Pyridalyl	0,02	41
	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	0,01	17
306.	Pyridate	0,01	17
307.	Pyrimethanil	0,01	9
308.	Pyriofenone	0,02	34
309.	Pyriproxifen	0,01	8
310.	Pyroxsulam	0,01	9
311.	Quinalphos	0,01	18
312.	Quinoxifen	0,04	17
	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0,04	14
313.	Quintozene	0,04	14

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
	Quizalofop (sum of quizalofop, its salts, its esters (including propaquizafop) and its conjugates, expressed as quizalofop (any ratio of constituent isomers))	0,02	41
314.	Quizalofop-ethyl	0,01	19
315.	Quizalofop-P-tefuryl	0,02	41
316.	Propaquizafop	0,01	7
317.	Quizalofop (free acid)	0,02	41
318.	Rimsulfuron	0,01	15
319.	Sedaxane (sum of isomers)	0,01	47
320.	Silthiofam	0,04	50
321.	Simazine	0,04	8
322.	Spinetoram (XDE-175)	0,01	16
323.	Spinosad (spinosad, sum of spinosyn A and spinosyn D)	0,01	9
324.	Spirodiclofen	0,01	31
325.	Spiromesifen	0,01	37
	Spirotetramat and spirotetramat-enol (sum of), expressed as spirotetramat	0,01	49
326.	Spirotetramat, BYI08330-enol	0,02	38
327.	Spirotetramat, BYI08330-enol-glucoside	0,01	16
328.	Spirotetramat, BYI08330-ketohydroxy	0,01	49
329.	Spirotetramat, BYI08330-monohydroxy	0,01	39
330.	Spirotetramat	0,01	26
331.	Spiroxamine (sum of isomers)	0,01	32
332.	Sulfosulfuron	0,02	22
333.	Sulfoxaflo (sum of isomers)	0,01	32
334.	Tebuconazole	0,04	29
335.	Tebufenozide	0,01	5
336.	Tebufenpyrad	0,01	18
337.	Tecnazene	0,01	24
338.	Teflubenzuron	0,01	12
339.	Tefluthrin	0,01	8
340.	Terbutryn	0,04	29
341.	Terbuthylazine	0,01	8
342.	Tetraconazole	0,01	10
343.	Tetradifon	0,01	33
344.	Tetramethrin	0,01	15
345.	Thiabendazole	0,01	39
346.	Thiacloprid	0,01	7

Toiduõlist QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri.

Kehtiv alates 01.07.2022

Jrk. nr	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
347.	Thiamethoxam	0,01	7
348.	Thiencarbazone-Methyl	0,05	45
349.	Thifensulfuron-methyl	0,01	15
350.	Thiodicarb	0,01	9
351.	Thiophanate-methyl	0,01	21
352.	Thiometon	0,2	17
353.	Tolclofos-methyl	0,01	26
354.	Tolfenpyrad	0,02	32
	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0,04	19
355.	Tolyfluanid	0,04	11
356.	DMST (dimethylaminosulfotoluidide)	0,01	19
357.	Tri-allate	0,02	46
358.	Triadimefon	0,04	20
359.	Triadimenol (any ratio of constituent isomers)	0,2	23
360.	Triasulfuron	0,01	23
361.	Triazamate	0,02	31
362.	Triazophos	0,04	5
363.	Trichlorfon	0,01	9
364.	Tricyclazole	0,01	6
365.	Trifloxystrobin	0,01	9
	Triflumizole: Triflumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethylphenyl)-n-propoxyacetamide), expressed as Triflumizole	0,02	50
366.	Triflumizole, FM-6-1	0,02	50
367.	Triflumuron	0,02	18
368.	Trifluralin	0,01	50
369.	Triforine	0,02	29
370.	Trinexapac (sum of trinexapac (acid) and its salts, expressed as trinexapac)	0,01	16
371.	Triticonazole	0,2	50
372.	Tritosulfuron	0,02	17
373.	Vinclozolin	0,01	27
374.	Zoxamide	0,01	24